

Summer Camp Group and Size Limit

- Summer camps shall be carried out in stable groups not exceeding fifteen (15) people and consisting of up to 14 campers.
- If there is more than one (1) group of campers at one (1) facility, stable groups shall each occupy separate rooms or spaces separated by half walls, structural dividers, or other physical partitions.
- Stable groups of children shall not mix with other stable groups.

Social Distancing Within Stable Groups Is Not Required

- Social distancing shall not be required *within* each stable group; however, providers shall make an effort to implement age-appropriate measures for promoting social distancing and activities that do not lead to close contact between campers.
- At least 14 feet should be maintained *between* stable groups.

Summer Camp Administration

- In coordination with RIDOH pursuant to § 7.4(A)(9) of this Subchapter, each provider shall collect and maintain, at a minimum, the following information on each child camper:
 1. Name and home address(es) of the child
 2. Name, phone number and address of each parent and caregiver

Drop-Offs/Pick-Ups

1. During the COVID-19 emergency, providers shall create a drop-off and pick-up protocol that adheres to CDC guidelines (see § 8.2(A) of this Part).
2. Providers shall require a self-attestation form, developed and approved by the DHS and RIDOH, be completed at the time of drop off for the purpose of screening for COVID-19 symptoms.
3. Posting of Plans. During the COVID-19 emergency, providers shall post their COVID-19 approval forms and plans as described in § 8.6 of this Part in a visible area.

Visitors to Facilities

1. Visitors should be discouraged from visiting summer camp facilities during the COVID-19 emergency to limit the possible exposure to children campers and summer camp staff.
2. Any individual who must visit shall document their arrival and departure time on a visitor log that must be maintained on-site and made available to DHS and RIDOH upon request.
3. Any individual who must visit shall complete a self-attestation form developed and approved by DHS and RIDOH, for the purpose of screening for COVID-19 symptoms.
4. Visitors shall maintain six (6) feet social distancing from others except between parents/caregivers and children in their care.
 - Providers shall have an isolation room or area that can be used to isolate a sick child that adheres to CDC guidelines (see § 8.2(A) of this Part).

Hygiene

1. Providers shall stock, and make accessible, a sufficient supply of items required to maintain personal hygiene for children and staff.
2. Summer camp staff shall wash their hands with liquid soap and warm running water, or hand sanitizer if liquid soap and warm running water are not feasible, as needed and:
 - after each diaper change;
 - after personal toileting;
 - after assisting a child with toileting;
 - after wiping a runny nose;
 - after touching any bodily fluid;
 - before and after using water, sand, or other sensory tables;
 - after messy play; and/or
 - before any food preparation or service.
3. Summer camp staff shall ensure that children wash their hands with liquid soap and warm running water, or hand sanitizer if liquid soap and warm running water are not feasible, as needed and:

- after each toileting;
- before each meal or snack;
- after wiping or blowing their nose;
- after touching any bodily fluid;
- before and after using water, sand, or other sensory tables;
- after messy play; and/or
- upon entry from the outdoors.

Cleaning of Facilities

1. Providers shall ensure the performance of environmental cleaning of their summer camp facilities and maintain cleaning records in accordance with §§ 7.4(A)(6)-(7) of this Subchapter.
2. During the COVID-19 emergency, providers shall adhere to the CDC guidelines for cleaning and sanitizing (see § 8.2(A) of this Part). DHS or RIDOH, or both, may issue further guidance on cleaning and sanitizing as CDC continues to update its guidance for summer camps.
3. Providers shall limit indoor shared play space.
4. All equipment will be cleaned and sanitized in adherence to CDC guidelines, between use by different stable groups (see § 8.2(A) of this Part).